






- DEMOLITORI SELEZIONATORI**
- DEMOLITION AND SORTING GRABS**
- PINCES TRIER ET DÉMOLIR**
- ABBRUCH- UND SORTIERGREIFER**
- PINZAS PARA DEMOLICIÓN Y SELECCIÓN**

	PESO ESCAVATORE 3t - 6t RS 200 EXCAVATOR WEIGHT 6t - 10t RS 300 POIDS DE LA PELLE 10t - 16t RS 400 BAGGER GEWICHTSKLASSE			
<b>MODELLO • MODEL</b> <b>MODELE • MODELL</b>	<b>RS 200F</b>	<b>RS 300F</b>	<b>RS 400F</b>	
<b>CAPACITÀ • CAPACITY</b> <b>CAPACITÉ • INHALT</b>	40 dm <sup>3</sup>	100	220	
<b>PESO • WEIGHT</b> <b>POIDS • GEWICHT</b>	140 Kg	290	600	
<b>PRESS. • PRESS.</b> <b>PRESS. • DRUCK</b>	300 Bar	300	300	
<b>PIÙ A LEGE • THE MORE</b> <b>RUND AL LAERT • SCHLE SCHALE</b>	Kg 2320	2500	3300	
<b>DIMENSIONI</b> <b>SIZES</b> <b>DIMENSIONS</b> <b>ABMESSUNGEN</b>	A	970	1400	1840
	C	670	800	1110
	D	600	730	920
	E	580	680	710
	L	370	450	600











### ROTATORE - ROTATOR - DREHMOTOR - ROTOR

<b>MODELLO • MODEL</b> <b>MODELE • MODELL</b>		<b>R 600AB</b>	<b>R 1000AB</b>	<b>R 1500AB</b>	<b>R 640G</b>
<b>PESO • WEIGHT</b> <b>POIDS • GEWICHT</b>	Kg	50	80	140	200
<b>DIMENS. • SIZES</b> <b>DIMENS. • ABMESSUN.</b>	F	190	210	240	340





- DEMOLITORI SELEZIONATORI**
- DEMOLITION AND SORTING GRABS**
- PINCES TRIER ET DÉMOLIR**
- ABBRUCH- UND SORTIERGREIFER**
- PINZAS PARA DEMOLICIÓN Y SELECCIÓN**

	PESO ESCAVATORE EXCAVATOR WEIGHT POIDS DE LA PELLE BAGGER GEWICHTSKLASSE		13 t - 19 t	RS 500	
			14 t - 20 t	RS 600	
			19 t - 25 t	RS 800	
<b>MODELLO • MODEL</b> <b>MODÈLE • MODELL</b>			<b>RS 500</b>	<b>RS 600</b>	<b>RS 800</b>
<b>PRESSIONE • PRESSURE</b> <b>PRESSION • DRUCK</b>	Bar		320	320	320
<b>PORTATA • FLOW</b> <b>DÉBIT • LEISTUNG</b>	l/min		80	80	120
<b>TEMPI • TIMES</b> <b>TEMPS • ZEITE</b>	sec	Ch. • Fern. D. • Schl.	2.8	2.8	3.2
		Ap. • Durt. Op. • Def.	2.1	2.1	2.1
<b>PRESSIONE • PRESSURE</b> <b>PRESSION • DRUCK</b>	Bar		170	170	170
<b>PORTATA • FLOW</b> <b>DÉBIT • LEISTUNG</b>	l/min		30	30	30
<b>CAPACITÀ • CAPACITY</b> <b>CAPACITÉ • INHALT</b>	m <sup>3</sup>		0.5	0.6	0.8
<b>FORZA ALLA LAMA • TINE FORCE</b> <b>POUSS. À LA LAME • SCHL. JE SCHALE</b>	Kg		4100	4100	5600
<b>PESO • WEIGHT</b> <b>POIDS • GEWICHT</b>	Kg		990	1050	1500
<b>DIMENSIONI</b> <b>SIZES</b> <b>DIMENSIONS</b> <b>ABMESSUNGEN</b>	A		1800	1800	2000
	B		1800	1800	2060
	C		1230	1230	1360
	D		1400	1400	1620
	E		1230	1230	1440
	L		850	1000	1000
					



RS 500  
RS 600



RS 800







- DEMOLITORI SELEZIONATORI**
- DEMOLITION AND SORTING GRABS**
- PINCES TRIER ET DÉMOLIR**
- ABBRUCH- UND SORTIERGREIFER**
- PINZAS PARA DEMOLICIÓN Y SELECCIÓN**

	PESO ESCAVATORE EXCAVATOR WEIGHT POIDS DE LA PELLE BAGGER GEWICHTSKLASSE		22 t - 28 t RS 1000	24 t - 30 t RS 1150	26 t - 32 t RS 1300
MODELLO • MODEL MODELE • MODELL			<b>RS 1000</b>	<b>RS 1150</b>	<b>RS 1300</b>
PRESSIONE • PRESSURE PRESSION • DRUCK	Bar		320	320	320
PORTATA • FLOW DÉBIT • LEISTUNG	l/min		120	120	120
TEMPI • TIMES TEMPS • ZEITE	sec	Ch. • Fern. Cl. • Schl.	3.2	3.2	3.2
		Ap. • Dev. Op. • Def.	2.1	2.1	2.1
PRESSIONE • PRESSURE PRESSION • DRUCK	Bar		170	170	170
PORTATA • FLOW DÉBIT • LEISTUNG	l/min		30	30	30
CAPACITÀ • CAPACITY CAPACITÉ • INHALT	m³		1	1.15	1.3
FORZA ALLA LAMA • TINE FORCE POISS. À LA LAME • SCHL. JE SCHALE	Kg		5050	5050	5050
PESO • WEIGHT POIDS • GEWICHT	Kg		1690	1770	1850
DIMENSIONI SIZES DIMENSIONS ABMESSUNGEN	A		2200	2200	2200
	B		2280	2280	2280
	C		1490	1490	1490
	D		1740	1740	1740
	E		1490	1490	1490
	L		1000	1150	1300

